國立臺灣大學 111 學年度碩士班招生考試試題 題號: 391 科目: 普通生物學(A) 題號:391 節次: 6 共 3 頁之第 1 頁 請清楚標示題號並依序作答於試卷上 ※請作答於試卷內之「選擇題作答區」 I. 單選題: (每題 2 分, 共 54 分) 1. The lowest level of biological organization that can survive and reproduce is the \_\_\_\_. C) nucleus A) DNA B) proton D) cell E) tissue 2. A group of organisms of the same species that live together in the same place make up a(n) \_\_\_ D) sample B) community C) ecosystem E) biosphere 3. The algae used to make sushi rolls are classified as A) bacteria B) fungi C) protists D) animals E) plants 4. Within an organism, all cells have the same \_\_\_\_, whereas different cell types contain different \_\_\_\_. A) RNA; genes B) proteins; RNAs C) RNAs; proteins D) genes; RNAs E) proteins; genes 5. Which of the following is the correct path in the endomembrane system followed by a protein, beginning with its site of synthesis in the rough ER. A) rough ER; smooth ER; Golgi apparatus; plasma membrane B) rough ER; vesicles; lysosomes; plasma membrane C) rough ER; smooth ER; lysosomes; plasma membrane D) rough ER; Golgi apparatus; smooth ER; plasma membrane E) rough ER; Golgi apparatus; vesicles; plasma membrane 6. The breakdown of hydrogen peroxide, a toxic substance, occurs in small, specialized membranebound organelles called \_ A) lysosomes B) peroxisomes C) glycosomes D) phagosomes E) glyoxysomes 7. Which of the following statements is true? A) The surface area/volume ratio increases when the total surface area of a cell increases. B) Aquaporins would be considered as peripheral proteins of the plasma membrane. C) The selective permeability of a cell membrane is due to glycolipids on the surface of the membrane. D) Fishes that live in extreme cold have membranes with a high proportion of unsaturated fatty acids. E) Membrane cholesterol function in animal cell membranes to store cellular energy. 8. HER2 is a receptor that is present at excessively high levels in some breast cancer cells. Herceptin is a protein that binds to HER2 and inhibits cell division. Herceptin may be an effective drug for breast cancer treatment under which of the following conditions? A) The patient lacks functional HER2 proteins. B) The patient has excessive levels of receptor for other growth factor (not HER2) in cancer cells. C) The patient's cancer cells have excessive levels of HER2. D) Injection of HER2 into the patient's cancer cells inhibits cell division. E) Injection of HER2 into the patient's cancer cell nuclei inhibits cell division. 9. What is the source of electrons for carbon fixation in plants? D) H\* B) CO<sub>2</sub> C) H<sub>2</sub>O A) O<sub>2</sub> E) glucose 10. Where does photosynthesis take place in cyanobacteria? A) plasma membrane B) Golgi bodies C) cytosol D) chloroplasts E) nucleoid region 11. In the light-dependent reactions of photosynthesis, an excited electron from photosystem II is

見背面

B) transmembrane pathway only

D) photosystem I

D) transmembrane and symplastic pathways

E) water

passed along an electron transport chain to

C) oxygen

12. Water that moves through living cells in a root is following the \_

E) apoplastic, transmembrane, and symplastic pathways

B) NADH

A) apoplastic pathway only

C) symplastic pathway only

A) NAD+

題號: 391 國立臺灣大學 111 學年度碩士班招生考試試題

科目: 普通生物學(A)

題號:391

節次: 6

共 3 頁之第 2 頁

13. Mycorrhizae A) nitrogen	-	plant species, ge C) phosphate		roots with the uptake o	)T
,	•	,	•	ootential than the fluids	
	the cell. In such a				
	of water out of the c				
C) no net flov	v of water into or out	of the cell			
, <del>-</del>	ter by the cell only if				
, 0	ter by the cell only if	•	•	ough	
	metophyte in flowe				
A) corolla	•	,	D) calyx E) car		
	<del></del> -			perm is formed from	
•	า fused with two anti <sub>l</sub> า fused with the syne		•		
•	n fused with the endo	=		syricigiu	
, .		-		ng of a plant shoot towa	rd liaht
A) auxin			)) salicylic acid		ra ngin.
•		_		om shipping damage. Yo	ou should
<del>-</del>	to the plants be			oppggu	
			charins D) gib	berellins E) ethylene	
19. In an anima	l in which the diplo	id number of ch	omosomes per cell	is 24, what is the total	number o
	present per cell in p				
A) 6 B)	12 C) 24	D) 48 E) 96			
20. A cross is p	erformed between	parents with ger		xxYyzz. What is the pro	
20. A cross is p that the offs alleles and I A) 1/8	erformed between	parents with gen same genotype a ndicate recessive D) 3/16 E)	as the first parent? e alleles. 9/16	xxYyzz. What is the pro Capital letters indicate	
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e	erformed between pring will have the ower case letters in 1/4 C) 3/8	parents with gen same genotype a ndicate recessive D) 3/16 E) transcription	as the first parent? e alleles. 9/16		
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc	erformed between pring will have the ower case letters in 3/8 clongation stage of eotides are added to ript grows in the 5' to	parents with gensame genotype andicate recessive D) 3/16 E) transcription the transcript 3' direction	as the first parent? e alleles. 9/16		
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN	parents with gensame genotype andicate recessive D) 3/16 E) transcription the transcript D 3' direction LA polymerase to	as the first parent? e alleles. 9/16  the template strand	Capital letters indicate	
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double	erformed between pring will have the ower case letters in 3/8 clongation stage of eotides are added to ript grows in the 5' to on factors recruit RNe helix remains single	parents with gensame genotype andicate recessive D) 3/16 E) transcription the transcript o 3' direction lA polymerase to e-stranded after b	as the first parent? e alleles. 9/16  the template strand	Capital letters indicate	
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polys	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the	parents with gensame genotype andicate recessive D) 3/16 E) transcription the transcript D' 3' direction A polymerase to e-stranded after be promoter region	as the first parent? e alleles. 9/16  the template strand	Capital letters indicate	
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA poly(22. The poly(A)	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA	parents with general same genotype andicate recessive D) 3/16 E) transcription the transcript D 3' direction LA polymerase to e-stranded after be promoter region	as the first parent? e alleles. 9/16  the template strand being used as a temp	Capital letters indicate	dominant
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye 22. The poly(A) A) is where the	erformed between pring will have the ower case letters in 3/8 alongation stage of eotides are added to ript grows in the 5' to on factors recruit RNe helix remains singlemerase binds to the tail of an mRNA he start codon is local	parents with gensame genotype andicate recessive D) 3/16 E) transcription the transcript D) 3' direction IA polymerase to ge-stranded after be promoter region ated B) is vertical B) is vertical contents.	as the first parent? e alleles. 9/16 the template strand reing used as a temp	Capital letters indicate	dominant
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye 22. The poly(A) A) is where the	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA	parents with general same genotype andicate recessive D) 3/16 E) transcription the transcript D 3' direction and A polymerase to e-stranded after be promoter region ated B) is a sineeded D	as the first parent? e alleles. 9/16 the template strand reing used as a temp	Capital letters indicate	dominant
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye 22. The poly(A) A) is where the C) covers the E) protects the	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is located at the mRNA from attack	parents with general same genotype andicate recessive (andicate recessive (b) 3/16 (b) 3/16 (c) 4 (c)	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes	Capital letters indicate late late ach at the start of translate terminates	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polyi 22. The poly(A) A) is where the C) covers the E) protects the 23. Insertion of	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is located at the mRNA from attack	parents with general same genotype andicate recessive (andicate recessive (b) 3/16 (b) 3/16 (c) 4 (c)	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes	Capital letters indicate	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye 22. The poly(A) A) is where the C) covers the E) protects the E3. Insertion of result in a	erformed between pring will have the ower case letters in 3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is locate stop codon until it is ne mRNA from attack two bases into the	parents with general same genotype andicate recessive andicate recessive andicate recessive and	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes f a gene just after the	Capital letters indicate late late ach at the start of translate terminates	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye 22. The poly(A) A) is where the C) covers the E) protects the E) protects the 23. Insertion of result in a A) missense	erformed between pring will have the ower case letters in (3) 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is located at the many and the many attack two bases into the mutation.	parents with general same genotype andicate recessive andicate recessive andicate recessive andicate recessive and	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes f a gene just after the	Capital letters indicate late ach at the start of translate terminates	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polyi 22. The poly(A) A) is where the C) covers the E) protects the E) protects the E) protects the C3. Insertion of result in a A) missense 24. In eukaryoti A) gene expirations	erformed between pring will have the ower case letters in 3 / 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RNe helix remains singlemerase binds to the tail of an mRNA he start codon is locally stop codon until it is ne mRNA from attack two bases into the mutation.  B) chromosomic cells,	parents with general same genotype andicate recessive andicate recessive andicate recessive andicate recessive and	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes f a gene just after the contract of transcription	Capital letters indicate late ach at the start of translate terminates	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye E) RNA polye 22. The poly(A) A) is where the C) covers the E) protects the E) protects the E) protects the E) missense 24. In eukaryoti A) gene expure B) all mRNA	erformed between pring will have the ower case letters in (3) 1/4 C) 3/8 elongation stage of ectides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is locally stop codon until it is ne mRNA from attack two bases into the mutation.  B) chromosomic cells, ression is regulated in stend to remain stall	parents with general same genotype andicate recessive andicate recessive andicate recessive and an arrangement of the transcript of 3' direction and after be promoter region attend after be seeded and an arrangement of the promoter region of the promot	as the first parent?  alleles.  9/16  the template strand  eing used as a temp  where ribosomes atta ) is where translation ig enzymes  f a gene just after the  hift D) silent  of transcription  came length of time	Capital letters indicate all late ach at the start of translate terminates  he start codon of a general codo	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polyi 22. The poly(A) A) is where the C) covers the E) protects the E) protects the E) protects the E) all mRNA C) mRNA according to the transcripti A) gene exponsions.	erformed between pring will have the ower case letters in 3 / 1/4 C) 3/8 elongation stage of eotides are added to ript grows in the 5' to on factors recruit RN e helix remains single merase binds to the tail of an mRNA he start codon is locally stop codon until it is ne mRNA from attack two bases into the mutation.  B) chromosom ic cells, ression is regulated in standard to remain stall tivity is altered throu	parents with general same genotype andicate recessive andicate recessive andicate recessive andicate recessive and	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation ag enzymes f a gene just after the control of transcription came length of time such as phosphorylates.	Capital letters indicate all late ach at the start of translate terminates  he start codon of a general codo	<b>dominant</b> ion
20. A cross is p that the offs alleles and I A) 1/8 E 21. During the e A) DNA nucle B) the transc C) transcripti D) the double E) RNA polye E) RNA polye 22. The poly(A) A) is where the C) covers the E) protects the E) protects the E) protects the E) all mRNA C) mRNA acc D) promoters	erformed between pring will have the ower case letters in (3) 1/4 C) 3/8 elongation stage of ectides are added to ript grows in the 5' to on factors recruit RN e helix remains singlemerase binds to the tail of an mRNA he start codon is locally stop codon until it is ne mRNA from attack two bases into the mutation.  B) chromosomic cells, ression is regulated in stend to remain stall	parents with general same genotype andicate recessive andicate recessive andicate recessive andicate recessive andicate recessive and	as the first parent? e alleles. 9/16  the template strand reing used as a temp where ribosomes atta ) is where translation agenzymes f a gene just after the diff D) silent  of transcription came length of time such as phosphorylate regulatory proteins	Capital letters indicate a late ach at the start of translate terminates terminates  E) nonsense	<b>dominant</b> ion

題號: 391

國立臺灣大學 111 學年度碩士班招生考試試題

科目: 普通生物學(A)

題號:391

節次: 6

共 3 頁之第 3 頁

- 25. What do Wernicke's and Broca's regions of the brain affect?
  - A) olfaction
- B) vision
- C) speech
- D) memory
- E) hearing
- 26. A caterpillar that never matures into an adult, but simply gets larger and larger with each molt. It might be possible that the caterpillar did not mature into an adult because of
  - A) a lack of ecdysone.
- B) a lack of juvenile hormone.
- C) a lack of melatonin.

- D) a decreased level of ecdysone.
- E) an increased level of juvenile hormone.
- 27. Which of the following is not a function of Sertoli cells?
  - A) production of androgen-binding protein
  - B) FSH stimulation of spermiogenesis
  - C) protection of developing sperm from the male's immune system
  - D) production of testosterone
  - E) production of inhibin

## II. 解釋名詞 (每題4分,共16分)

- 1. RNA interference (RNAi)
- 2. ectotherm
- 3. species diversity
- 4. competitive exclusion

## Ⅲ. 簡答題 (每題6分,共30分)

- 1. What is the Bohr shift about the affinity of hemoglobin for oxygen?
- 2. How has the bird lung adapted to the metabolic demands of flight?
- 3. Describe the relationships between induction, determination, and differentiation.
- 4. A patient who can produce antibodies against some bacterial pathogens, but not against viral infections. What kind of disorder probably he has in his immune system?
- 5. If you experimentally increase the concentration of Na<sup>+</sup> outside a resting neuron while maintaining other ion concentrations as they were, what would happen to the cell's membrane potential? Explain your answer.

試題隨卷繳回