

1. (a) Explain "Type II Error." (3%)  
 (b) Determine the probability of Type II Error,  $\beta$  for the following test of hypothesis, given that  $\mu=48$ . (12%)  
 $H_0: \mu = 50$   
 $H_1: \mu < 50$   
 $\alpha = 0.05, \sigma = 10, n = 40$
  
2. Surveys have been widely used by politicians around the world as a way of monitoring the opinions of the electorate. Six months ago, a survey was undertaken to determine the degree of support for a national party leader. Of a sample of 800, 46% indicated that they would vote for this politician. This month, another survey of 1,100 voters revealed that 56% now support the leader.  
 (a) At the 1% significance level, can we infer that the national party leader's popularity has increased? (10%)  
 (b) At the 5% significance level, can we infer that the national party leader's popularity has increased by more than 5%? (10%)
  
3. A random sample of 50 observations yielded the following frequencies for the standardized intervals:

Interval	Frequency
$Z \leq -1.96$	6
$-1.96 < Z \leq 0$	27
$0 < Z \leq 1.96$	14
$Z > 1.96$	3

Can you infer that the data are not normally distributed? (15%)

(Note: There is no probability table accompanying with this question. You only need to calculate the test statistic and to explain decision rules. Do not forget to state hypotheses very clearly.)

4. An experiment is designed to study the effect of two factors on the amplification of a stereo recording. The factors are type of receiver (two brands) and type of amplifier (three brands). For each combination of factor levels, three tests are performed in which decibel output is measured. A higher decibel output means a better result. The coded results are as follows:

Receiver	Amplifiers		
	M1	M2	M3
R1	9	6	9
	4	10	8
	12	7	6
R2	7	9	11
	1	12	16
	4	17	10

To solve, use the following summary information (type of receiver as factor A and type of amplifier as factor B):

Sums of squares:	$SS_A = 14.22$	$SS_B = 61.44$	$SS_{AB} = 84.11$	$SS_T = 277.11$		
Receiver:	<b>R1</b>	<b>R2</b>				
Sample means:	7.89	9.67				
Amplifier:	<b>M1</b>	<b>M2</b>	<b>M3</b>			
Sample means:	6.17	10.17	10.00			
Cell:	<b>R1,M1</b>	<b>R1,M2</b>	<b>R1,M3</b>	<b>R2,M1</b>	<b>R2,M2</b>	<b>R2,M3</b>
Sample means:	8.33	7.67	7.67	4.00	12.67	12.33

- (a) At the 5% significance level, is there an effect due to receivers? (5%)
- (b) At the 5% significance level, is there an effect due to amplifiers? (5%)
- (c) At the 5% significance level, is there an interaction between receivers and amplifiers? (5%)
- (d) Plot a graph of average decibel output for each receiver for each amplifier. (5%)
- (e) On the basis of the results, what conclusions can you reach concerning average decibel output? (5%)

5. A human resources manager with Mango Federated Corporation is interested in developing a multiple regression model to estimate the salary  $Y$  (in thousands of dollars) for employees from experience  $X_1$  (in years) with the firm and from performance  $X_2$  (as measures by an index). Data were collected for 10 employees. The analysis for the multiple regression is presented in the accompanying tables.

ANOVA

Source of Variation	Sum of Squares	Degrees of Freedom	Mean Square
Regression	224.61	2	112.30
Error	33.79	7	4.83
Total	258.40	9	

Model	Unstandardized Coefficients		Standardized Coefficients		Correlations			
	B	Std. Error	Beta	t	Sig.	Zero-order	Partial	Part
Constant	13.10	4.59		2.85	.02			
experience	1.94	.66	.65	2.95	.02	.91	.74	.40
performance	.16	.10	.33	1.50	.18	.84	.49	.20


- (a) Test the overall significance of the multiple regression relationship. Let the level of significance be 0.05. (5%)
- (b) Test the hypothesis that  $X_2$  adds no explanatory power to the multiple regression equation over and above that which is provided by  $X_1$ . Let the level of significance be 0.05. (5%)
- (c) Find the correlation between experience and salary after the influence of performance has been removed from them. (5%)
- (d) Find the predicted average salary of Lee, one employee of this company, given that he has ten years of experience and his performance index is 80. (5%)
- (e) Find a 95% confidence interval for Lee's average salary. Let the standard error of the predicted value of  $Y$  be 1.11 (5%)



Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4976	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990


見背面

Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .



$t$  distribution critical values

df	Upper tail probability $p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
$z^*$	0.674	0.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291



F Table for alpha=0.05

df1/df2	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	INF
1	161.447	199.500	215.707	224.583	230.161	233.986	236.768	238.882	240.543	241.881	243.906	245.949	248.013	249.051	250.095	251.143	252.195	253.252	254.314
2	18.5128	19.0000	19.1643	19.2468	19.2984	19.3295	19.3532	19.3710	19.3848	19.3959	19.4125	19.4291	19.4458	19.4541	19.4624	19.4707	19.4791	19.4874	19.4957
3	10.1280	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855	8.7446	8.7029	8.6602	8.6385	8.6166	8.5944	8.5720	8.5494	8.5264
4	7.7086	6.9443	6.5914	6.3882	6.2661	6.1631	6.0942	6.0410	5.9988	5.9644	5.9117	5.8578	5.8025	5.7744	5.7459	5.7170	5.6877	5.6581	5.6281
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351	4.6777	4.6188	4.5581	4.5272	4.4957	4.4638	4.4314	4.3985	4.3650
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.0990	4.0600	3.9989	3.9361	3.8742	3.8415	3.8082	3.7743	3.7398	3.7047	3.6689
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767	3.6365	3.5747	3.5107	3.4445	3.4105	3.3758	3.3404	3.3043	3.2674	3.2298
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472	3.2839	3.2184	3.1503	3.1152	3.0794	3.0428	3.0053	2.9669	2.9276
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2295	3.1789	3.1373	3.0729	3.0061	2.9365	2.9005	2.8637	2.8259	2.7872	2.7475	2.7067
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782	2.9130	2.8450	2.7740	2.7372	2.6996	2.6609	2.6211	2.5801	2.5379
11	4.8443	3.9823	3.5874	3.3571	3.2039	3.0946	3.0123	2.9480	2.8962	2.8536	2.7876	2.7186	2.6464	2.6090	2.5705	2.5309	2.4901	2.4480	2.4045
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964	2.7534	2.6866	2.6169	2.5436	2.5055	2.4663	2.4259	2.3842	2.3410	2.2962
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144	2.6710	2.6037	2.5331	2.4589	2.4202	2.3803	2.3392	2.2966	2.2524	2.2064
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022	2.5342	2.4630	2.3879	2.3487	2.3082	2.2664	2.2229	2.1778	2.1307
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876	2.5437	2.4753	2.4034	2.3275	2.2878	2.2468	2.2043	2.1601	2.1141	2.0658
16	4.4940	3.6337	3.2389	3.0067	2.8524	2.7413	2.6572	2.5911	2.5377	2.4935	2.4247	2.3522	2.2756	2.2354	2.1938	2.1507	2.1058	2.0589	2.0096
17	4.4515	3.5915	3.1966	2.9641	2.8090	2.6977	2.6135	2.5470	2.4933	2.4489	2.3807	2.3077	2.2304	2.1898	2.1477	2.1040	2.0584	2.0107	1.9604
18	4.4139	3.5546	3.1597	2.9270	2.7720	2.6603	2.5761	2.5092	2.4553	2.4107	2.3421	2.2686	2.1906	2.1497	2.1071	2.0629	2.0166	1.9681	1.9168
19	4.3807	3.5219	3.1274	2.8945	2.7395	2.6273	2.5431	2.4768	2.4227	2.3779	2.3080	2.2341	2.1555	2.1141	2.0712	2.0264	1.9795	1.9302	1.8780
20	4.3512	3.4928	3.0984	2.8651	2.7109	2.5980	2.5140	2.4471	2.3928	2.3479	2.2776	2.2033	2.1242	2.0825	2.0391	1.9938	1.9464	1.8963	1.8432
21	4.3248	3.4668	3.0725	2.8391	2.6848	2.5727	2.4886	2.4215	2.3670	2.3219	2.2514	2.1770	2.0974	2.0554	2.0112	1.9645	1.9165	1.8657	1.8117
22	4.3009	3.4434	3.0491	2.8157	2.6613	2.5491	2.4650	2.3979	2.3434	2.2981	2.2274	2.1529	2.0729	2.0306	1.9854	1.9380	1.8894	1.8380	1.7831
23	4.2793	3.4221	3.0278	2.7943	2.6400	2.5277	2.4436	2.3765	2.3220	2.2767	2.2058	2.1312	2.0508	2.0082	1.9620	1.9142	1.8648	1.8128	1.7570
24	4.2597	3.4028	3.0085	2.7750	2.6207	2.5082	2.4241	2.3570	2.3025	2.2571	2.1860	2.1114	2.0307	1.9880	1.9418	1.8930	1.8424	1.7896	1.7330
25	4.2417	3.3852	2.9909	2.7574	2.6030	2.4904	2.4063	2.3392	2.2847	2.2392	2.1680	2.0934	2.0124	1.9696	1.9234	1.8746	1.8230	1.7696	1.7110
26	4.2252	3.3690	2.9747	2.7412	2.5868	2.4741	2.3899	2.3228	2.2683	2.2228	2.1516	2.0770	1.9957	1.9528	1.9066	1.8570	1.8044	1.7496	1.6906
27	4.2100	3.3541	2.9597	2.7267	2.5723	2.4595	2.3753	2.3082	2.2537	2.2081	2.1369	2.0623	1.9800	1.9370	1.8908	1.8412	1.7886	1.7338	1.6747
28	4.1960	3.3404	2.9457	2.7120	2.5576	2.4448	2.3606	2.2935	2.2390	2.1934	2.1222	2.0476	1.9653	1.9222	1.8760	1.8264	1.7738	1.7190	1.6599
29	4.1830	3.3277	2.9330	2.7000	2.5456	2.4328	2.3486	2.2815	2.2270	2.1814	2.1102	2.0356	1.9533	1.9102	1.8640	1.8144	1.7618	1.7070	1.6479
30	4.1709	3.3158	2.9223	2.6886	2.5342	2.4214	2.3372	2.2701	2.2156	2.1700	2.0988	2.0242	1.9419	1.8988	1.8526	1.8030	1.7504	1.6956	1.6365
40	4.0847	3.2317	2.8387	2.6060	2.4516	2.3388	2.2546	2.1875	2.1330	2.0874	2.0162	1.9416	1.8593	1.8162	1.7700	1.7204	1.6678	1.6130	1.5582
60	4.0012	3.1504	2.7574	2.5247	2.3703	2.2575	2.1733	2.1062	2.0517	1.9961	1.9249	1.8503	1.7680	1.7249	1.6787	1.6291	1.5765	1.5217	1.4670
120	3.9201	3.0718	2.6788	2.4461	2.2917	2.1789	2.0947	2.0276	1.9731	1.9175	1.8463	1.7717	1.6894	1.6463	1.5991	1.5495	1.4969	1.4421	1.3874
inf	3.8415	2.9957	2.6027	2.3700	2.2156	2.1028	2.0186	1.9515	1.8970	1.8414	1.7702	1.6956	1.6133	1.5702	1.5230	1.4734	1.4208	1.3660	1.3112