

Questions 1 – 10 are multiple-choice items and each is with 5 points. Record your answer on the 答案卡 provided.

1. A continuous random variable  $X$  has the following distribution function:

$$F_X(x) = \begin{cases} 0, & x \leq 0 \\ \sqrt{x}, & 0 < x \leq 1 \\ 1, & x > 1 \end{cases}$$

Compute the expectation of  $Y = 3 - 5X^2$ .

- A.  $E[Y] = 11/7$
- B.  $E[Y] = 1$
- C.  $E[Y] = -1$
- D.  $E[Y] = -2$
- E.  $E[Y] = 2$

2. Let  $X$  be a random variable. It is given that  $E[X] = \ln 2$ . What can be deduced about  $E[e^{-X}]$ ?

- A.  $E[e^{-X}] \leq 2$
- B.  $E[e^{-X}] \leq 1/2$
- C.  $E[e^{-X}] = 1/2$
- D.  $E[e^{-X}] \geq 1/2$
- E.  $E[e^{-X}] \geq 2$

3. Let  $X$  and  $Y$  be two Bernoulli distributed random variables. Furthermore,  $P(X = 0, Y = 0) = 0.3$ ,  $P(X=0, Y =1)=0.2$ , and  $P(X=1, Y =0)=0.2$ . Which of the following statements is correct?

- A.  $X$  and  $Y$  are uncorrelated and independent.
- B.  $X$  and  $Y$  are uncorrelated and dependent.
- C.  $X$  and  $Y$  are correlated and independent.
- D.  $X$  and  $Y$  are negatively correlated and dependent.
- E.  $X$  and  $Y$  are positively correlated and dependent.

4. Consider the following back-to-back stemplot:

	0	348
	1	01256
843	2	29
65210	3	2557
92	4	
7552	5	6
	6	1458
6	7	09
8541	8	
90	9	

- I. The distributions have the same mean.
- II. The distributions have the same range.
- III. The distributions have the same standard deviation.

見背面

Which of the above are true statements?

- A. II only
- B. II and III
- C. I and II
- D. I and III
- E. I, II, and III

5. A postgraduate student is studying undergraduate students in Taiwanese universities. He takes a sample of 400 undergraduate students from 10 universities. The average age of all undergraduate students in Taiwan is

- A. the median
- B. a population
- C. a statistic
- D. a parameter
- E. none of the above

6. Crammer-Rao inequality is valid in case of:

- A. the asymptotic variance of a statistic
- B. the asymptotic variance of an estimator
- C. lower bound on the variance
- D. upper bound on the variance
- E. none of these

7. Most of the nonparametric methods utilize measurements on:

- A. interval scale
- B. ordinal scale
- C. ratio scale
- D. nominal scale
- E. none of scale

8. If population A has a larger standard deviation than population B, which of the following is NOT true?


- A. Population B has a smaller variance than population A.
- B. The mean of a sample of 20 from population A has a larger standard deviation than the mean of a sample of 20 from population B.
- C. A typical observation from population A will be farther from the mean of population A than a typical observation from B will be from the mean of population B.
- D. The mean of a sample from population A will on average be larger than the mean of a sample from population B.
- E. none of the above

9. A scatter plot of number of teachers and number of people with undergraduate degrees for cities in Taiwan reveals a positive association. The most likely explanation for this positive association is:

接次頁

- A. Larger cities tend to have both more teachers and more people with undergraduate degrees, so the association is explained by a third variable, the size of the city.
- B. Teachers encourage people to get undergraduate degrees, so an increase in the number of teachers is causing an increase in the number of people with undergraduate degrees.
- C. Cities with higher incomes tend to have more teachers and more people going to university, so income is a confounding variable, making causation between number of teachers and number of people with undergraduate degrees difficult to prove.
- D. Teaching is a common profession for people with undergraduate degrees, so an increase in the number of people with undergraduate degrees causes an increase in the number of teachers.

10. The boxplots below summarize the distribution of verbal and math scores among students at a high school.



- I. The range of the math scores equals the range of the verbal scores.
- II. The highest math score equals the median verbal score.
- III. The verbal scores appear to be roughly symmetric, while the math scores appear to be skewed to the right.

Which of the below statements are true?

- A. I only
- B. III only
- C. I and II
- D. II and III
- E. I, II, and III

見背面

填空題，每題五分，請清楚標明計算過程，無計算過程不給分。請依照題號順序作答於答案卷上，答案請四捨五入至小數點第 3 位。

11. A manufacturer of a new swimsuit for competitive swimmers would like to compare the velocities of swimmers in their swimsuit with their competitor's swimsuit. They plan a paired experiment, where a sample of swimmers will be obtained, and their velocity (cm/second) will be measured in each swimsuit. They believe the standard deviation of the within swimmer differences is 8 cm/sec. They are conducting a 2-sided test of  $H_0: \mu_D = 0$ ,  $H_A: \mu_D \neq 0$  with  $\alpha = 0.05$ . How many swimmers should they use if they want the power to be 0.90 to detect a difference of  $\Delta = 2.0$  cm/sec?

Questions 12-14. Consider a two-factor experiment in which Factor A has 2 levels and Factor B also has 2 levels. Partial ANOVA table is shown below:

Source	SS	df
Factor A	98	1
Factor B	218	1
Interaction A*B	896	1
Error	3200	20

12. Assume that each cell(group) has equal number of observations. How many observations are there in each cell?

13. Is the Interaction A\*B significant at  $\alpha = 0.05$ ? Justify your answer by specifying the test statistics.

14. Sketch a picture of possible cell means.

Questions 15-18. There are two leagues in Major League Baseball (MLB): the National League and the American League. A total of 30 teams play in the MLB, with 15 teams in each league. After collecting data on team payroll and total season wins for year of 2019, an analyst fitted the model  $Y = \alpha + \beta_1 \text{Payroll} + \beta_2 \text{League} + \epsilon$ , where

$Y$ =team game wins

Payroll=team payroll (in millions of dollars);

League=0 if the teams plays in the National League, =1 if the team plays in the American League.

Parts of the computer output appear below.

	Coefficient	Std. error
intercept	61.321	9.583
Payroll	0.157	0.061
League	-3.746	5.368

15. The 95% confidence interval for  $\beta_1$  is \_\_\_\_\_.

16. Suppose Team A plays in the National League while Team B plays in the American League, and Team A's payroll is \$10 million higher than Team B's. Which team, Team A or Team B, would we expect to win more game? What's the difference between the predicted number of wins of Team A and the predicted number of wins of Team B?

接次頁

17. Team C plays in the American League had a payroll of 108 million and won 88 games. The residual for this observation = \_\_\_\_\_.

18. Common sense suggests teams with a higher payroll should have a strong tendency to win more games, but the league affiliation should not matter. Do the regression results support the common sense? Justify your answer.

**Questions 19-20.** A survey of randomly chosen new students at a certain university revealed the data below concerning the main reason for choosing this university instead of another. You want to test the hypothesis that the main reason for choosing the university is independent of student type.

Student type	Reputation	Location	Tuition	Class Size
Freshmen	50	25	7	8
MBAs	25	15	13	7

19. The value of the test statistic is \_\_\_\_\_.

20. Using the provided Chi-Square Critical Value Table, calculate the minimum significance level at which you would reject the hypothesis that student type and the main reason for choosing the university are independent.

見背面

Chi-square Distribution Table

d.f.	.995	.99	.975	.95	.9	.1	.05	.025	.01
1	0.00	0.00	0.00	0.00	0.02	2.71	3.84	5.02	6.63
2	0.01	0.02	0.05	0.10	0.21	4.61	5.99	7.38	9.21
3	0.07	0.11	0.22	0.35	0.58	6.25	7.81	9.35	11.34
4	0.21	0.30	0.48	0.71	1.06	7.78	9.49	11.14	13.28
5	0.41	0.55	0.83	1.15	1.61	9.24	11.07	12.83	15.09
6	0.68	0.87	1.24	1.64	2.20	10.64	12.59	14.45	16.81
7	0.99	1.24	1.69	2.17	2.83	12.02	14.07	16.01	18.48
8	1.34	1.65	2.18	2.73	3.49	13.36	15.51	17.53	20.09
9	1.73	2.09	2.70	3.33	4.17	14.68	16.92	19.02	21.67
10	2.16	2.56	3.25	3.94	4.87	15.99	18.31	20.48	23.21
11	2.60	3.05	3.82	4.57	5.58	17.28	19.68	21.92	24.72
12	3.07	3.57	4.40	5.23	6.30	18.55	21.03	23.34	26.22
13	3.57	4.11	5.01	5.89	7.04	19.81	22.36	24.74	27.69
14	4.07	4.66	5.63	6.57	7.79	21.06	23.68	26.12	29.14
15	4.60	5.23	6.26	7.26	8.55	22.31	25.00	27.49	30.58
16	5.14	5.81	6.91	7.96	9.31	23.54	26.30	28.85	32.00
17	5.70	6.41	7.56	8.67	10.09	24.77	27.59	30.19	33.41
18	6.26	7.01	8.23	9.39	10.86	25.99	28.87	31.53	34.81
19	6.84	7.63	8.91	10.12	11.65	27.20	30.14	32.85	36.19
20	7.43	8.26	9.59	10.85	12.44	28.41	31.41	34.17	37.57
22	8.64	9.54	10.98	12.34	14.04	30.81	33.92	36.78	40.29
24	9.89	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98
26	11.16	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64
28	12.46	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28
30	13.79	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89
32	15.13	16.36	18.29	20.07	22.27	42.58	46.19	49.48	53.49
34	16.50	17.79	19.81	21.66	23.95	44.90	48.60	51.97	56.06
38	19.29	20.69	22.88	24.88	27.34	49.51	53.38	56.90	61.16
42	22.14	23.65	26.00	28.14	30.77	54.09	58.12	61.78	66.21
46	25.04	26.66	29.16	31.44	34.22	58.64	62.83	66.62	71.20
50	27.99	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15
55	31.73	33.57	36.40	38.96	42.06	68.80	73.31	77.38	82.29
60	35.53	37.48	40.48	43.19	46.46	74.40	79.08	83.30	88.38
65	39.38	41.44	44.60	47.45	50.88	79.97	84.82	89.18	94.42
70	43.28	45.44	48.76	51.74	55.33	85.53	90.53	95.02	100.43
75	47.21	49.48	52.94	56.05	59.79	91.06	96.22	100.84	106.39
80	51.17	53.54	57.15	60.39	64.28	96.58	101.88	106.63	112.33
85	55.17	57.63	61.39	64.75	68.78	102.08	107.52	112.39	118.24
90	59.20	61.75	65.65	69.13	73.29	107.57	113.15	118.14	124.12
95	63.25	65.90	69.92	73.52	77.82	113.04	118.75	123.86	129.97
100	67.33	70.06	74.22	77.93	82.36	118.50	124.34	129.56	135.81

接次頁

**CRITICAL VALUES for the "F" Distribution, ALPHA = .05.**

Denominator DF	Numerator DF									
	1	2	3	4	5	6	7	8	9	10
1	161.448	199.500	215.707	224.583	230.162	233.986	236.768	238.883	240.543	241.882
2	18.513	19.000	19.164	19.247	19.296	19.330	19.353	19.371	19.385	19.396
3	10.128	9.552	9.277	9.117	9.013	8.941	8.887	8.845	8.812	8.786
4	7.709	6.944	6.591	6.388	6.256	6.163	6.094	6.041	5.999	5.964
5	6.608	5.786	5.409	5.192	5.050	4.950	4.876	4.818	4.772	4.735
6	5.987	5.143	4.757	4.534	4.387	4.284	4.207	4.147	4.099	4.060
7	5.591	4.737	4.347	4.120	3.972	3.866	3.787	3.726	3.677	3.637
8	5.318	4.459	4.066	3.838	3.687	3.581	3.500	3.438	3.388	3.347
9	5.117	4.256	3.863	3.633	3.482	3.374	3.293	3.230	3.179	3.137
10	4.965	4.103	3.708	3.478	3.326	3.217	3.135	3.072	3.020	2.978
11	4.844	3.982	3.587	3.357	3.204	3.095	3.012	2.948	2.896	2.854
12	4.747	3.885	3.490	3.259	3.106	2.996	2.913	2.849	2.796	2.753
13	4.667	3.806	3.411	3.179	3.025	2.915	2.832	2.767	2.714	2.671
14	4.600	3.739	3.344	3.112	2.958	2.848	2.764	2.699	2.646	2.602
15	4.543	3.682	3.287	3.056	2.901	2.790	2.707	2.641	2.588	2.544
16	4.494	3.634	3.239	3.007	2.852	2.741	2.657	2.591	2.538	2.494
17	4.451	3.592	3.197	2.965	2.810	2.699	2.614	2.548	2.494	2.450
18	4.414	3.555	3.160	2.928	2.773	2.661	2.577	2.510	2.456	2.412
19	4.381	3.522	3.127	2.895	2.740	2.628	2.544	2.477	2.423	2.378
20	4.351	3.493	3.098	2.866	2.711	2.599	2.514	2.447	2.393	2.348
21	4.325	3.467	3.072	2.840	2.685	2.573	2.488	2.420	2.366	2.321
22	4.301	3.443	3.049	2.817	2.661	2.549	2.464	2.397	2.342	2.297
23	4.279	3.422	3.028	2.796	2.640	2.528	2.442	2.375	2.320	2.275
24	4.260	3.403	3.009	2.776	2.621	2.508	2.423	2.355	2.300	2.255
25	4.242	3.385	2.991	2.759	2.603	2.490	2.405	2.337	2.282	2.236
26	4.225	3.369	2.975	2.743	2.587	2.474	2.388	2.321	2.265	2.220
27	4.210	3.354	2.960	2.728	2.572	2.459	2.373	2.305	2.250	2.204
28	4.196	3.340	2.947	2.714	2.558	2.445	2.359	2.291	2.236	2.190
29	4.183	3.328	2.934	2.701	2.545	2.432	2.346	2.278	2.223	2.177
30	4.171	3.316	2.922	2.690	2.534	2.421	2.334	2.266	2.211	2.165
31	4.160	3.305	2.911	2.679	2.523	2.409	2.323	2.255	2.199	2.153
32	4.149	3.295	2.901	2.668	2.512	2.399	2.313	2.244	2.189	2.142
33	4.139	3.285	2.892	2.659	2.503	2.389	2.303	2.235	2.179	2.133
34	4.130	3.276	2.883	2.650	2.494	2.380	2.294	2.225	2.170	2.123
35	4.121	3.267	2.874	2.641	2.485	2.372	2.285	2.217	2.161	2.114
36	4.113	3.259	2.866	2.634	2.477	2.364	2.277	2.209	2.153	2.106
37	4.105	3.252	2.859	2.626	2.470	2.356	2.270	2.201	2.145	2.098
38	4.098	3.245	2.852	2.619	2.463	2.349	2.262	2.194	2.138	2.091
39	4.091	3.238	2.845	2.612	2.456	2.342	2.255	2.187	2.131	2.084
40	4.085	3.232	2.839	2.606	2.449	2.336	2.249	2.180	2.124	2.077
41	4.079	3.226	2.833	2.600	2.443	2.330	2.243	2.174	2.118	2.071
42	4.073	3.220	2.827	2.594	2.438	2.324	2.237	2.168	2.112	2.065
43	4.067	3.214	2.822	2.589	2.432	2.318	2.232	2.163	2.106	2.059
44	4.062	3.209	2.816	2.584	2.427	2.313	2.226	2.157	2.101	2.054
45	4.057	3.204	2.812	2.579	2.422	2.308	2.221	2.152	2.096	2.049
46	4.052	3.200	2.807	2.574	2.417	2.304	2.216	2.147	2.091	2.044
47	4.047	3.195	2.802	2.570	2.413	2.299	2.212	2.143	2.086	2.039
48	4.043	3.191	2.798	2.565	2.409	2.295	2.207	2.138	2.082	2.035
49	4.038	3.187	2.794	2.561	2.404	2.290	2.203	2.134	2.077	2.030
50	4.034	3.183	2.790	2.557	2.400	2.286	2.199	2.130	2.073	2.026

見背面

**STANDARD NORMAL DISTRIBUTION TABLE**

Entries represent  $\Pr(Z \leq z)$ . The value of  $z$  to the first decimal is given in the left column. The second decimal is given in the top row.


$z$	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.7	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Values of $z$ for selected values of $\Pr(Z \leq z)$							
$z$	0.842	1.036	1.282	1.645	1.960	2.326	2.576
$\Pr(Z \leq z)$	0.800	0.850	0.900	0.950	0.975	0.990	0.995

接次頁



t-Distribution Table



The shaded area is equal to  $\alpha$  for  $t = t_{\alpha}$ .

df	$t_{.100}$	$t_{.050}$	$t_{.025}$	$t_{.010}$	$t_{.005}$
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
30	1.310	1.697	2.042	2.457	2.750
32	1.309	1.694	2.037	2.449	2.738
34	1.307	1.691	2.032	2.441	2.728
36	1.306	1.688	2.028	2.434	2.719
38	1.304	1.686	2.024	2.429	2.712
$\infty$	1.282	1.645	1.960	2.326	2.576