題號: 181 國立臺灣大學 106 學年度碩士班招生考試試題

科目: 臨床牙周病學

節次: 4 共1頁之第1頁

題號:181

第一大题 1-7,單選,每一小題2分,請將答案填寫於答案卷第一頁【選擇題作答區】內

- 1. It will take how many weeks for soft tissue to cover completely the socket after tooth extraction?
- (A) 2-3
- (B) 4-8
- (C) 9-12
- (D) 13-16
- 2. Which procedure would cause tooth mobility increasing temporarily?
- (A) scaling and root planing.
- (B) gingival curettage
- (C) mucogingival surgery
- (D) pocket reduction surgery
- 3. If a tooth with PD (probing depth) ≤3mm is treated with periodontal surgery that will result in:
- (A) CAL (clinical attachment level) gain.
- (B) CAL loss
- (C) reduced PD
- (D) increased PD
- 4. In the experimental gingivitis study by Löe et al. (1965), when would most participants have resolution of clinical signs of gingival inflammation after resuming oral hygiene?
- (A) 1 day
- (B) 3 days
- (C) 5 days
- (D) 7 days
- 5. According to Lang et al. (1973), the longest interval between effective oral hygiene procedures and maintenance of gingival health could be how long?
- (A) 12 hours
- (B) 24 hours
- (C) 48 hours
- (D) 72 hours
- 6. Which one of the following type of periodontal diseases is described as having a non-contributory medical history, familial aggregation, and rapid attachment loss and bone destruction?
- (A) Chronic periodontitis
- (B) Aggressive periodontitis
- (C) Necrotizing periodontal disease
- (D) Periodontitis associated with systemic disease
- 7. If the frequency of peri-implant diseases is calculated upon implants number rather than subjects number, it will be?
- (A) underestimated
- (B) equally predictive
- (C) overestimated
- (D) inconsistent

第二大題 問答題:

- 8. Describe the agents/instruments used recently which can adjunct effectively to help scaling/root planing procedure during treating chronic periodontitis. (15%)
- 9. Please compare the treatment effects (PD and BOP) of phase I therapy between older patients and younger ones. (15%)
- 10. For interdental plaque removal in patient with chronic periodontitis, please compare the effectiveness between interdental brush and dental floss (3%), and explain why ?(15%)
- 11. For debridement of the class II and III furcation lesions, please compare the effectiveness between ultrasonic instrument and periodontal curette (3%), and explain why ? (15%)
- 12. How to do the maintenance care for a dental implant ?(20%)